

# AAMC Standardized Immunization Form

Last Name:	The Hawk	First Name:	Swoop	Middle Initial:	
DOB:	1/5/1995	Street Address:	27 S. Mario Capecchi Dr		
Medical School:		City:	Salt Lake City		
Cell Phone:		State:	UT		
Primary Email:		ZIP Code:	84113		
Student ID:					

Please read **ALL** instructions carefully. You'll see that the sections below ask for dose dates and/or titer readings. Please be sure to complete all relevant sections.

	Vaccine	Date		Copy Attached
<b>MMR (Measles, Mumps, Rubella) – 2 doses of MMR vaccine or two (2) doses of Measles, two (2) doses of Mumps and (1) dose of Rubella; or serologic proof of immunity for Measles, Mumps and/or Rubella. Choose only one option.</b>				
<b>Option 1</b>				
<b>MMR</b> -2 doses of MMR vaccine	MMR Dose #1			<input type="checkbox"/>
	MMR Dose #2			
<b>Option 2</b>				
<b>Measles</b> -2 doses of vaccine or positive serology	Measles Vaccine Dose #1		<b>Serology Results</b>	
	Measles Vaccine Dose #2		Qualitative Titer Results:	<input type="checkbox"/> Positive <input type="checkbox"/> Negative
	Serologic Immunity (IgG antibody titer)		Quantitative Titer Results:	_____ IU/ml
<b>Mumps</b> -2 doses of vaccine or positive serology	Mumps Vaccine Dose #1		<b>Serology Results</b>	
	Mumps Vaccine Dose #2		Qualitative Titer Results:	<input type="checkbox"/> Positive <input type="checkbox"/> Negative
	Serologic Immunity (IgG antibody titer)		Quantitative Titer Results:	_____ IU/ml
<b>Rubella</b> -1 dose of vaccine or positive serology	Rubella Vaccine		<b>Serology Results</b>	
	Serologic Immunity (IgG antibody titer)		Qualitative Titer Results:	<input type="checkbox"/> Positive <input type="checkbox"/> Negative
			Quantitative Titer Results:	_____ IU/ml
<b>Tetanus-diphtheria-pertussis – One (1) dose of adult Tdap. If last Tdap is more than 10 years old, provide dates of last Td and Tdap</b>				
	Tdap Vaccine (Adacel, Boostrix, etc)			<input type="checkbox"/>
	Td Vaccine (if more than 10 years since last Tdap)			<input type="checkbox"/>
<b>Varicella (Chicken Pox) - 2 doses of vaccine or positive serology</b>				
	Varicella Vaccine #1		<b>Serology Results</b>	
	Varicella Vaccine #2		Qualitative Titer Results:	<input type="checkbox"/> Positive <input type="checkbox"/> Negative
	Serologic Immunity (IgG antibody titer)		Quantitative Titer Results:	_____ IU/ml
<b>Influenza Vaccine - 1 dose annually each fall</b>				
Date of last dose		Date	Annual flu vaccine required	<input type="checkbox"/>
	Flu Vaccine			<input type="checkbox"/>
<b>COVID-19 Vaccine - 1 dose of updated (2023-2024 Formula) vaccine if previously vaccinated with any COVID-19 Vaccine.</b>				
	Updated Pfizer-BioNTech COVID-19 vaccine			<input type="checkbox"/>
	Updated Moderna COVID-19 vaccine			<input type="checkbox"/>

# AAMC Standardized Immunization Form

Name: The Hawk, Swoop Date of Birth: 1/5/1995  
 (Last, First, Middle Initial) (mm/dd/yyyy)

Please read the HP vaccination instructions **carefully**. Dose dates must be provided.  
 Antibody tests must include the date **and** titer reading.



<b>Hepatitis B Vaccination</b> - 3 doses of Engerix-B, PreHevbrio, Recombivax HB or Twinrix vaccines or 2 doses of Heplisav-B vaccine followed by a <b>QUANTITATIVE Hepatitis B Surface Antibody test</b> drawn 4-8 weeks after last vaccine dose. A test titer >10mIU/mL is positive for immunity. If the test result is negative, CDC guidance recommends that HCP receive one or more additional doses of Hepatitis B vaccine up to completion of a second series, followed by a repeat titer test 4-8 weeks after the last vaccine dose. If a single additional vaccine dose does not elicit a positive test result, administer additional vaccine doses to complete the second series using the schedule approved for the primary series of a given product. If the Hepatitis B Surface Antibody test is negative (<10 mIU/mL) after receipt of 2 complete vaccine series, a "non-responder" status is assigned. See: <a href="http://dx.doi.org/10.15585/mmwr.r6701a1">http://dx.doi.org/10.15585/mmwr.r6701a1</a> for additional information.				Copy Attached	
<b>Primary Hepatitis B Series</b>  Heplisav-B only requires two doses of vaccine followed by antibody testing	3-dose vaccines (Enerix-B, PreHevbrio, Recombivax HB, Twinrix) or 2-dose vaccine (Heplisav-B)	3 Dose Series	2 Dose Series	<input type="checkbox"/>	
	Hepatitis B Vaccine Dose #1			<input type="checkbox"/>	
	Hepatitis B Vaccine Dose #2			<input type="checkbox"/>	
	Hepatitis B Vaccine Dose #3				<input type="checkbox"/>
	<b>QUANTITATIVE Hep B Surface Antibody Test</b>			_____ mIU/ml	
<b>Additional doses of Hepatitis B Vaccine</b>  <u>Only If no response to primary series</u>  Heplisav-B only requires two doses of vaccine followed by antibody testing		3 Dose Series	2 Dose Series	<input type="checkbox"/>	
	Hepatitis B Vaccine Dose #4			<input type="checkbox"/>	
	Hepatitis B Vaccine Dose #5			<input type="checkbox"/>	
	Hepatitis B Vaccine Dose #6				<input type="checkbox"/>
	<b>QUANTITATIVE Hep B Surface Antibody Test</b>			_____ mIU/ml	
<b>Hepatitis B Vaccine Non-responder</b>	If the Hepatitis B Surface Antibody test is negative (titer less than 10 mIU/mL) after a primary and repeat vaccine series, vaccine non-responders should be counseled and evaluated appropriately. Certain institutions may request signing an "acknowledgement of non-responder status" document before clinical placements.				
<b>Additional Documentation</b>					
<u>Some institutions</u> may have additional requirements depending upon rotation, school requirements or state law. Examples include meningitis vaccine which is mandated in some states if you live in dormitory style housing. If you will be participating in an international experience, you may also be required to provide proof of vaccines such as yellow fever or typhoid.					
<b>Vaccination, Test or Examination</b>	<b>Date</b>	<b>Result or Interpretation</b>			
Physical Exam (if required)				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	

# AAMC Standardized Immunization Form

Name: The Hawk, Swoop Date of Birth: 1/5/1995  
 (Last, First, Middle Initial) (mm/dd/yyyy)

Please read the TB instructions carefully. Dates must be provided.

**TUBERCULOSIS (TB) SCREENING** – All U.S. healthcare personnel are screened pre-placement for TB. Two kinds of tests are used to determine if a person has been infected with TB bacteria: the TB skin test (TST) and the TB blood test (IGRA). Results of the last two TSTs or one IGRA blood test are required regardless of prior BCG status. If the TST method is used, record the dates and results of two 1-step annual TSTs over the last two years, or of one 2-step TST protocol (two TSTs performed with the second TST placed at least 1 week after the first TST read date). In either series, the second TST must have been placed within the past 12 months prior to clinical duties, and must have been performed in the U.S. If you have a history of a positive TST (PPD) >10mm or a positive IGR blood test, please supply information regarding any evaluation and/or treatment below. You only need to complete ONE section, A or B.

**Skin test or IGRA results should not expire during proposed elective rotation dates or must be updated with the receiving institution prior to rotation.**

### Tuberculosis Screening History

Please complete only one TB section based on your history	<b>Section A</b>		<b>Date Placed</b>	<b>Date Read</b>	<b>Result</b>	<b>Interpretation</b>
	History of Negative TB Skin Test or Blood Test	TST #1			_____ mm	<input type="checkbox"/> Pos <input type="checkbox"/> Neg <input type="checkbox"/> Equiv
		TST #2			_____ mm	<input type="checkbox"/> Pos <input type="checkbox"/> Neg <input type="checkbox"/> Equiv
				<b>Date</b>	<b>Result</b>	
	T-spots or QuantiFERON TB Gold blood tests for tuberculosis Use additional rows as needed				<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Indeterminate	
					<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Indeterminate	
	<b>Section B</b>		<b>Date Placed</b>	<b>Date Read</b>	<b>Result</b>	
	History of Positive Skin Test or Positive Blood Test	Positive TST			_____ mm	
				<b>Date</b>	<b>Result</b>	
						<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Indeterminate
Chest X-ray*					*Provide documentation or result	
Treated for latent TB infection (LTBI)?					<input type="checkbox"/> Yes <input type="checkbox"/> No	



# AAMC Standardized Immunization Form

Name: The Hawk, Swoop  
(Last, First, Middle Initial)

Date of Birth: 1/5/1995  
(mm/dd/yyyy)

**Additional Information**

**MUST BE SIGNED BY A LICENSED HEALTHCARE PROFESSIONAL OR DESIGNEE:**

Your form **MUST** be completed and signed by a provider or designee.

<b>Healthcare Professional Signature:</b>		<b>Date:</b> 11/01/2024
<b>Printed Name:</b>	J. Smith	Office Use Only
<b>Title:</b>	MD	
<b>Address Line 1:</b>	The Hawk Health Center	
<b>Address Line 2:</b>	Student Union	
<b>City:</b>	Salt Lake City	
<b>State:</b>	UT	
<b>Zip:</b>	84113	
<b>Phone:</b>	(801) 555- 9999 Ext: _____	
<b>Fax:</b>	( ) - _____	
<b>Email Contact:</b>		

\*Sources:

- [Hepatitis B In: Centers for Disease Control and Prevention. Epidemiology and Prevention of Vaccine-Preventable Diseases. Hamborsky J, Kroger A, Wolfe S, eds. 13th ed. Washington D.C. Public Health Foundation, 2015](#)
- [Immunization of Health-Care Personnel: Recommendations of the Advisory Committee on Immunization Practices \(ACIP\), MMWR, Vol 60\(7\):1-45](#)

# AAMC Standardized Immunization Form

**Name:** The Hawk, Swoop

(Last, First, Middle Initial)

**Date of Birth:** 1/5/1995

(mm/dd/yyyy)

- [3. CDC Guidance for Evaluating Health-Care Personnel for Hepatitis B Virus Protection and for Administering Postexposure Management, MMWR, Vol 62\(RR10\):1-19](#)